

|                           |                 |                   |                |
|---------------------------|-----------------|-------------------|----------------|
| Americas                  | Mike Tavares    | mtavares@nejm.org | (781) 434-7095 |
| Asia/Pacific              | David Kipp      | dkipp@nejm.org    | (781) 434-7634 |
| Europe/Middle East/Africa | Patrice Skelley | pskelley@nejm.org | (781) 434-7380 |

To find out more about the resources included with institutional site licenses, please contact your regional representative or visit NEJM LibraryHub at libraryhub.nejm.org.



The NEW ENGLAND  
JOURNAL of MEDICINE



# How to Use NEJM.org in Teaching and Learning

# Use **NEJM.org** to enhance skills, increase knowledge, and improve clinical care.

At the *New England Journal of Medicine*, our mission is to help physicians learn. For generations, NEJM has been a valuable teaching tool in training young physicians. You'll find a wide range of clinical content and multimedia, designed to serve and enhance your teaching and align with your educational mission.

At NEJM.org, we continue to add interactive content and features that improve learning and meet the needs of today's physicians-in-training, wherever they are and on any device. Explore NEJM.org and discover educational features that help hone diagnostic skills in the Learning and Multimedia sections.




The **NEW ENGLAND**  
**JOURNAL** of **MEDICINE**




# When you need to review treatment options:

- **CLINICAL PRACTICE ARTICLES**



**CLINICAL PRACTICE** articles begin with the presentation of a single case, and then give you a complete description of diagnostic and treatment strategies, therapeutic options, areas of uncertainty, and treatment guidelines.



## RECENT TOPICS INCLUDE

- INITIAL TREATMENT OF HYPERTENSION
- ACUTE PYELONEPHRITIS IN ADULTS
- MANAGEMENT OF ACUTE HIP FRACTURE
- ROSACEA
- DELIRIUM IN HOSPITALIZED OLDER ADULTS
- FOOD ALLERGY
- MIGRAINE
- SUBARACHNOID HEMORRHAGE
- SUBCLINICAL HYPOTHYROIDISM
- SOCIAL ANXIETY DISORDER
- PHYSICAL ABUSE OF CHILDREN
- ACUTE LOWER GASTROINTESTINAL BLEEDING
- LONG-ACTING REVERSIBLE CONTRACEPTION















# When you need to take NEJM with you:

- NEJM INSTITUTION REMOTE ACCESS
- GOOGLE SCHOLAR CASA

## NEJM INSTITUTION REMOTE ACCESS

offers a seamless experience since accounts, rather than devices, are paired. Patrons must sign into their free NEJM.org account while within your institution's IP range, enabling your site license access rights to sync with their personal NEJM.org account automatically for 180 days.

*New England Journal of Medicine* content is now available through **GOOGLE SCHOLAR CASA** (Campus Activated Subscriber Access). CASA is free and automatically enabled for all NEJM site license customers who participate in the Google Scholar Subscriber Links program.



The NEW ENGLAND  
JOURNAL of MEDICINE